
### GENERAL NOTES:


COMMERCIAL ENTRANCES SHALL BE CONSTRUCTED WITH 3 1/2 " HMA OVER 6" AGGREGATE BASE COURSE, TY B.

PRIVATE ENTRANCES SHALL BE CONSTRUCTED WITH 2 1/2" HMA OVER 6" AGGREGATE BASE COURSE, TY B.

THE SHOULDER, SUB-BASE GRANULAR MATL, TYPE A, SHALL BE CONSTRUCTED PRIOR TO ENTRANCE CONSTRUCTION. THE CONTRACTOR SHALL GRADE THE SUB-BASE GRANULAR MATL, TYPE A, TO THE PROPER GRADE FOR EACH TYPE OF ENTRANCE BEING CONTRUCTED. THE EXCAVATED SUB-BASE GRANULAR MATERIAL SHALL BE DEPOSITED WITHIN THE LIMITS OF THE PROPOSED ENTRANCE AS AN AGGREGATE BASE. THIS REQUIREMENT SHALL NOT BE PAID FOR SEPARTELY BUT SHALL BE INCLUDED IN OTHER ITEMS OF RELATED CONSTRUCTION.

## COMMERCIAL - PRIVATE DRIVE TYPICAL DETAIL





#### GENERAL NOTES:


FIELD ENTRANCES SHALL BE CONSTRUCTED WITH 2 1/2" HMA OVER 6" AGGREGATE BASE COURSE, TY B.

THE SHOULDER, SUB-BASE GRANULAR MATL, TYPE A, SHALL BE CONSTRUCTED PRIOR TO ENTRANCE CONSTRUCTION. THE CONTRACTOR SHALL GRADE THE SUB-BASE GRANULAR MATL, TYPE A, TO THE PROPER GRADE FOR EACH TYPE OF ENTRANCE BEING CONTRUCTED. THE EXCAVATED SUB-BASE GRANULAR MATERIAL SHALL BE DEPOSITED WITHIN THE LIMITS OF THE PROPOSED ENTRANCE AS AN AGGREGATE BASE. THIS REQUIREMENT SHALL NOT BE PAID FOR SEPARTELY BUT SHALL BE INCLUDED IN OTHER ITEMS OF RELATED CONSTRUCTION.

# SECTION A-A VARIABLE ENTRANCE SURFACE AND MINIMARY ENTRANCE CULVERT, SEE SCHEDULE

ENTRANCE SURFACE SHALL BE CONSTRUCTED AS PER THE SCHEDULES AND TYPE OF ENTRANCE BEING CONSTRUCTED.

## FIELD ENTRANCE TYPICAL DETAIL



		M I	s c	DETAILS	
Revisions		Surveyed:	DLE	FAS ROUTE 666 (CH 11)	
HO. DATE	INITIALS	Designed:	JEC	DOUGLAS COUNTY, ILLINOIS	
2 3		Drawns JEC			
4 5	<del></del>	Checkeds		DOUGLAS COUNTY HIGHWAY DEPARTMENT TUSCOLA, ILLINOIS	
6 7		Approved:	JEC		
Job No.:	NA	Date:	1/08		